

CABINET FOR HEALTH AND FAMILY SERVICES
DEPARTMENT FOR PUBLIC HEALTH
HOTEL - MOTEL INSPECTION FORM



Kentucky Public Health
Prevent. Promote. Protect.

County: Scott
Permit No: W4308

San. Code: 61087
Date: 4/30/2025

Regular
 Complaint
 Follow-up
 Survey
 Other

Follow-up: Yes No

TIME
Arrival: _____
Departure: _____

Hotel-Motel Name & Address: Country Inn & Suites 131 Darby Dr
Owner and/or Operator Name & Address: Rooney Kama

Number of Rooms: 105

NOTE: (*) indicates critical item.

WATER & ICE SUPPLY

- *1. 5() Water & ice from approved source, approved treatment, adequate supply
- 2. 4() Ice properly dispensed from approved equipment or individually packaged, equipment clean, good repair
- 3. 4() Ice containers in rooms; adequate, clean, good repair

102
104
206 - wall
208 - 2nd fl
315
414

SEWAGE & SOLID WASTE DISPOSAL

- *4. 5() Approved sewage disposal system--satisfactory operation--approved plumbing--no cross connections
- *5. 5() Refuse disposed in approved manner
- 6. 4() Outside trash storage areas properly constructed--dumpsters, bulk containers, covered, clean, good repair
- 7. 2() Guest room waste receptacles; approved construction, adequate, clean, good repair

GUEST ROOM FACILITIES & ACCESSORIES

- 8. 4() Guest room toilet facilities adequate, clean, good repair
- 9. 2() Adequate towels, washcloths, soap, toilet tissue--provided and properly stored
- 10. 2() Drinking glasses provided, single service items properly stored, handled
- 11. 2() Floors, walls, ceilings, clean, good repair
- 12. 4() Beds, mattress, box spring, clean, adequate, good repair
- 13. 4() Bedding materials, mattress pads or covers, provided, clean, adequate, good repair
- 14. 2() Drapes, furniture, shades, curtains, light fixtures--clean, good repair
- 15. 2() Adequate lighting and ventilation provided in rooms, hallways, stairways, etc.

GEN. SANITATION, CONSTRUCTION & STORAGE

- 16. 2() Interior and exterior of structure good repair
- 17. 2() Lobby, hallways, public restrooms, etc., clean - good repair
- 18. 2() Furniture clean, good repair
- 19. 4() Adequate storage area for clean and soiled linen; cleaning supplies, etc.
- *20. 5() Rodents/insects under control
- *21. 5() Pesticides/toxic materials properly stored, used, handled, protected and labeled

SAFETY

- *22. 5() Exit doors open outward; exit routes properly identified--fire extinguishers provided
- *23. 5() Safety and fire hazards eliminated
- *24. 5() Safety locks provided on all doors leading to bedrooms

MISCELLANEOUS

- *25. 5() Continental breakfast - approved prepackaged foods served, single-use products/utensils
- 26. 4() Dishes, glasses in rooms properly cleaned, stored, sanitized
- *27. 5() Employees conform to good hygienic practices; employee items properly stored

RATING: 100

Remarks: _____

Items marked are considered to be violation of KRS 219.011 to 219.081 and the State Hotel Code and must be corrected: () by next routine inspection or () within _____ days. Failure to correct violations as listed will result in further action as provided by the Hotel Code and KRS 219.991(1). An opportunity for an appeal from any notice or inspection findings will be provided if you file a written request for a hearing with the department within the period of time specified by the applicable regulation.

Received by: [Signature]

Inspected by: [Signature]

Health Authority

Local State